EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"20050050055"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:16
L2	1	"20050050055" and (compact$3 or interchang$3 or specification$1 or beneficial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:47
L3	2	"5018060".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:21
L4	0	"5018060".pn. and (compact$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:15
L5	0	"575751".pn. and (compact$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:21
L6	5	"575751".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:22
L7	2	"5757571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:22
L8	1	"5757571".pn. and (compact$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:20

EAST Search History

L9	0	"5757571".pn. and interchang$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:23
L10	657	(media with interchang$3) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:24
L11	82	((media with interchang$3) with (specification$1 or requirement$1 or details or characteristics or outlines or rules)) and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:44
L12	2	"20050050055" and (computer with readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:51
L13	0	"20050050055" and ((look?up with table) or pre?defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:52
L14	0	"20050050055" and ((look-up with table) or pre?defined)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:52
L15	1	"20050050055" and (table$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:53
L16	1	"20050050055" and robotic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:17

L17	0	"5018060".pn. and (magnetic with stor$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:13
L18	0	"5018060".pn. and (magnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:13
L19	1	"5018060".pn. and (tape with stor$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:42
L20	1	"20050050055" and beneficial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:17
L21	0	"5757571".pn. and beneficial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:20
L22	2	"5757571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:20
L23	1	"5018060".pn. and scal$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:42
L24	0	L11 and scaling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:44

EAST Search History

L25	55297	(tape near3 (storage or storing or stor$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:45
L26	37473	L25 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:45
L27	1607	L26 and (data adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:45
L28	85	L27 and ((tape or storage or media) near3 (scaling or scale or scal$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:49
L29	45	L28 and (us$3 with tape$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:45
L30	0	L28 and (whether with scal$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:50
L31	12	L28 and (scal$3 with tape$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:55
L32	54	((whether or if) with scal$3) with tape$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:56

L33	26	L32 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:00
L34	60	"5018060".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:00
L35	3	L34 and scaling	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:02
L36	4	(storage near3 (characteristics or attribute$1)) and (scaling with tape$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:02
L37	2	L36 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:03
L38	5	"899042".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:05
L39	1	"5969893".pn. and (scaling or characteristics or attributes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:05
L40	2	"5018060".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:22

L41	2	"5757571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 16:26
L42	2	"20030193994"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:03
L43	28	(robotic near3 arm$1) and (tape near3 drive$1) and (bar with code with scanner) and (cartridge with gripper)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:04
L44	13	L43 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:10
L45	2	"20030120379"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:14
L46	2	"20030120379" and tape	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 17:14
S1	6	"648064".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:15
S2	46958	(tape near3 (storage or storing or stor$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 12:06

EAST Search History

S3	35798	S2 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 14:24
S4	1481	S3 and (data adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:06
S5	189	S4 and ((data adj access)near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 12:54
S6	177	S4 and ((data adj access)near2 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 12:58
S7	2	S6 and (tape near2 (scaling or scale or scal$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:36
S8	8	("4092679"|"5018060"|"5757571"|"6031798").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 12:58
S9	76	S4 and ((tape or storage or media) near3 (scaling or scale or scal$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/26 15:45
S10	21649	Hill.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:37

S11	2	"4607346".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:38
S12	2	"5345584".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:39
S13	2	"6338110".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:39
S14	2	"6338110".pn. and (tape or storage or scale or scaling or access or predefined or capacity or identify or dataset or optimal scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:41
S15	2	"4607346".pn. and (tape or storage or scale or scaling or access or predefined or capacity or identify or dataset or optimal scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:46
S16	2	"5345584".pn. and (tape or storage or scale or scaling or access or predefined or capacity or identify or dataset or optimal scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:42
S17	2	"6983343".pn. and (tape or storage or scale or scaling or access or predefined or capacity or identify or dataset or optimal scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:47
S18	2	"6529996".pn. and (tape or storage or scale or scaling or access or predefined or capacity or identify or dataset or optimal scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:49

S19	3	"972438".ap. and (tape or storage or scale or scaling or access or predefined or capacity or identify or dataset or optimal scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:50
S20	4	"135228".ap. and (tape or storage or scale or scaling or access or predefined or capacity or identify or dataset or optimal scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 13:50
S21	1	"648064".ap. and (storage adj characteristics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 15:58
S22	289	(scale or scaling or scal$5) with (tape with storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:21
S23	196	S22 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:00
S24	84	S23 and performance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:00
S25	3989	(scale or scaling or scal$5) near2 storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:21
S26	3139	S25 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:21

S27	0	S26 and (((scale or scaling or scal$5) near2 storage) with ((pre?defin$4 or predefin$4) near2 capacity))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:23
S28	3139	S26 and ((scale or scaling or scal$5) near2 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 13:43
S29	313	S26 and (((scale or scaling or scal$5) near2 storage) with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:24
S30	57	S29 and (data adj access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:56
S31	20287	storage near2 instruction$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:57
S32	16296	S31 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 16:57
S33	180	S32 and ((storage near2 instruction$1)with capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:05
S34	7093	active near2 storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:05

S35	5904	S34 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:06
S36	1	S35 and ((scale or scaling) near3 capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:07
S37	3245	S35 and capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:07
S38	1	S37 and ((scaling or scale) near3 capacity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/08 17:07
S39	24195	tape and segment$6 and (scal$5 or scaling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:20
S40	0	5757571l.pn. and (scale or scaling or flexible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:23
S41	0	5757571l.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:23
S42	0	575757l.pn. and (scale or scaling or flexible)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:24

S43		2	"5757571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 17:50
S44		1	"5757571".pn. and (scaling or flexible or scale)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:45
S45		1	"5018060".pn. and capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 15:37
S46		1	"5757571".pn. and capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 14:47
S47		1	"5018060".pn. and (track$5 or chang$5 or monitor$5 or updat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 17:25
S48		2	"5757571".pn. and (track$5 or chang$5 or monitor$5 or updat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 16:09
S49		1	"135228".ap. and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 16:45
S50		4	"135228".ap. and (within or inside or incorporat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 16:45

S51	6	"648064".ap. and within	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 16:49
S52	2	"5018060".pn. and (optimal or optimum or performance or access)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 17:25
S53	2	"20050050055"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:39
S54	2	"20050050055" and (magnetic or scaling)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:41
S55	2	"20050050055" and (magnetic or scaling or tape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:56
S56	0	"5018060".ap. and (magnetic or scaling or scaled or scales or tape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 15:56
S57	1	"5018060".pn. and (magnetic or scaling or scaled or scales or tape)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 17:18
S58	2	"5757571".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/07/06 17:18

S59	4418	(scale or scaling or scal$5) near2 storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 13:43
S60	3243	S59 and @ad<"20030801"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 13:43
S61	3243	S60 and ((scale or scaling or scal$5) near2 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 13:43
S62	4	S61 and (tape$1 with exclusive$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/03 13:44